

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	09/750,560	NOOLANDI ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Jeffrey Siew	1637	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

I claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

☒ This communication is responsive to 6/21/0 & int. 6/28/04.

☒ The allowed claim(s) is/are 1-5,7-11,13,16-26 & 30.

☒ The drawings filed on 11 February 2002 are accepted by the Examiner.

☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) ☐ All b) ☐ Some\* c) ☐ None of the:

1. ☐ Certified copies of the priority documents have been received.

2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.

3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached

1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.

(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

☐ Notice of References Cited (PTO-892)

☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_

☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)

6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.

7. ☒ Examiner's Amendment/Comment

8. ☒ Examiner's Statement of Reasons for Allowance

9. ☐ Other \_\_\_\_\_.

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. John Waters on June 28, 2004.

The application has been amended as follows:

- A) Cancel claims 15, 27-29 without prejudice or disclaimer.
- B) Insert new -- Claim 30. The system of claim 20 wherein the detecting means comprises a full-width array scanner.--.

The following is an examiner's statement of reasons for allowance: Claims 1-5,7-11,13,16-26 & 30 are allowable. Concerning claims 1-5,8-11 there is no prior art that teach or suggest the method of sequencing using a full width array scanner capable of scanning entire width of separation apparatus simultaneously. Concerning claims 7,13,16-19,21-24,25,26 there is no prior art that teach or suggest the amorphous silicon two-dimensional image sensor array. Concerning claim 20 & 30 there is no prior art that teach or suggest laser attached to the rear of

Art Unit: 1637

the detecting means for illuminating the DNA fragments. The closest prior art is Nasu et al (US5,246,866) who teach a DNA sequencing apparatus but do not teach or suggest scanning width simultaneously or amorphous silicon 2 dimensional image sensor or laser attached to rear of detecting means.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### CONCLUSION


2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey Siew who can be reached at 571-272-0787. The e-mail address is Jeffrey.Siew@uspto.gov. However, the office cannot guarantee security through the e-mail system nor should official papers be transmitted through this route. The examiner is on flex-time schedule and can best be reached on weekdays from 6:30 a.m. to 3 p.m. If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Gary Benzion, can be reached on (571)272-0782.

Any inquiry of a general nature, matching or filed papers or relating to the status of this application or proceeding should be directed to the Tracey Johnson for Art Unit 1637 whose telephone number is (571)272-0534.

Art Unit: 1637

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Papers related to this application may be submitted to Group 1600 by facsimile transmission. Papers should be faxed to Group 1600 via the PTO Fax Center located in Crystal Mall 1. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The 1600 Tech Center FAX is (703)-872-9306.

  
JEFFREY SIEW  
PRIMARY EXAMINER

June 28, 2004